

Refrigerated Counter with compressor PA GN 140M (R0PA.GN140R.00)



SKU: PA GN 140M

- **Construction:** Stainless steel AISI 304
- **Ergonomic design** for easy use and maintenance
- **Thermostat:** Built-in electronic thermostat for precise temperature control
- **Defrosting:** Automatic system with electric resistances
- **Functionality:** Buttoned magnetic rubbers, ergonomic handles, full-length telescopic guides
- **Depth:** 700 mm
- **GN 1/1 pan holder**
- **Sheets:** 1 per door
- **Capacity:** 287 L
- **Insulation:** High density polyurethane
- **Layout:** 2 doors
- **Flexibility:** Door replacement with any of the three types of drawers (upon request)
- **4 Alternatives for the lid:** simple lid, lift-up lid, lid with 30*32 trough or without lid (upon request)
- **Adjustable feet**
- **Cooling:** Forced air circulation system for uniform temperature distribution
- **Eco-friendly refrigerant R290**
- **Temperature adjustment:** External thermometer and thermostat with adjustment from -1°C to +8°C

Dimensions: 140 × 70 × 88 cm

Weight: 115 Kg

Line: Line GN

Recommended industries: Pizza, RESTAURANTS, STREET FOOD

Capacity: 287

Lower Temperature (C): -1

Horse Power (HP): 1/4

Higher Temperature (C): +8

Volume (m3): 0.84

Doors: 2

Product Description

The professional stainless steel counter-refrigerator **PA GN 140M** is the ideal choice for any modern kitchen that requires **efficient food storage and preservation**.

Made of **high-quality AISI 304 stainless steel**, it combines **durability, elegance and functionality**, meeting the needs of every professional space.

▪ Flexibility in storage & Ergonomics

It has **two doors**, which ensure **large capacity** and practicality. The **GN 1/1 pan holder** makes it easy to **organize your ingredients**.

▪ Safe and comfortable to use

The snap-on magnetic rubbers **and the ergonomic handles offer safe closing and easy handling**, while the **full-length telescopic guides in the drawers ensure smooth operation**.

▪ Precise temperature control & efficient defrosting

The built-in electronic thermostat offers precise temperature control, while the automatic defrosting system with electric resistances ensures continuous and efficient operation.

▪ Flexibility & Adaptability

Its smart design allows the **door to be changed with any of the three drawer types**, upon request, covering even the most personalized needs. The **adjustable feet** allow the height to be adjusted for comfortable placement. Furthermore, with **four lid alternatives**—simple lid, lift-up lid, lid with 30*32 trough or even no lid upon request—it offers unsurpassed flexibility.

▪ Sustainability


The use of the **ecological refrigerant R290** underlines our commitment to a **sustainable future**.

With the **PA GN 140M**, you get a **reliable tool** that will upgrade your professional kitchen!

Product Photos



Technical Drawing



NIKI INOX S.A.

Industrial Area of Thessaloniki
 P.O. Box 1056, 57022 Sindos
 VAT: 082104633 G.E.MI. No:
 38081805000

T: +30 2310 798 696
 F: +30 2310 797 920
 URL: <https://niki-inox.gr>
 E: info@niki-inox.gr