

Refrigerated Cabinet with compressor TH D1 070M



SKU: TH D1 070M

- **Construction:**Stainless steel AISI 304
- **Ergonomic design**for easy use and maintenance
- **Thermostat:**Built-in electronic thermostat for precise temperature control
- **Defrosting:**Automatic system with electric resistances
- **Functionality:** Buttoned magnetic rubbers for absolute sealing
- **Shelves:**6 shelves (3 on each door) with corresponding supports
- **Sockets:**For GN 2/1 or two GN 1/1
- **Capacity:** 640 L
- **Insulation:**Polyurethane high density
- **Cleaning:**Easily removable rack guides
- **Hinges:**Reset for automatic door closing (Right or Left)
- **Adjustable feet**
- **Cooling:**Forced air circulation system for uniform temperature distribution
- **Ecological refrigerant:**R290
- **Temperature adjustment:**External thermometer and thermostat with adjustment from -1°C to +8°C

Dimensions: 70 × 78 × 215 cm

Weight: 123 Kg

Capacity:

Lower Temperature (C): -1

GN Trays: 2 (1/1)

Higher Temperature (C): +8

Product Description

The professional stainless steel **TH D1 70M** preservation chamber is the ideal choice for any professional space that requires precise preservation of frozen products.

Made of **high-quality AISI 304 stainless steel**, it combines **durability, elegance and functionality**, meeting the needs of any professional space.

▪ Flexibility in storage & Ergonomics

The chamber can accommodate GN 2/1 or two GN 1/1, giving more possibilities in organizing your stocks. It has 6 racks (3 on each door) offering organized and flexible storage.

▪ Safe and comfortable use

The doors with snap-on magnetic rubbers ensure absolute sealing, while the **ergonomic handles** offer **safe closing and easy handling**

▪ Precise temperature control & efficient defrosting

The built-in electronic thermostat offers precise temperature control, while the automatic defrosting system with electric resistances ensures continuous and efficient operation.

▪ Flexibility

The **adjustable feet** allow for **height adjustment** for comfortable positioning.

▪ Sustainability


The use of the **ecological refrigerant R290** underlines our commitment to a **sustainable future**.

The **TH D1 70M** is the reliable solution for maintaining your products at the right temperatures, with top quality and performance.

Product Photos



Technical Drawing



NIKI INOX S.A.

Industrial Area of Thessaloniki

P.O. Box 1056, 57022 Sindos

VAT: 082104633 G.E.MI. No:

38081805000

T: +30 2310 798 696

F: +30 2310 797 920

URL: <https://niki-inox.gr>

E: info@niki-inox.gr